



ORANGE BEACH FIRE RESCUE

P.O. Box 458 - 25855 John Snook Drive - Orange Beach, AL 36561
(251) 981-6166 - orangebeachal.gov

January 2024

RE: Beachside Address Identification

To Whom it May Concern:

The City of Orange Beach beachside address identification requirements apply to all new and existing buildings located on the southside of State Highway 182/Perdido Beach Blvd, with frontage on the Gulf of Mexico. *The only exception to these address identification requirements are single family dwellings.*

All new and existing buildings with dune walkovers or boardwalks in excess of 100 feet in length, shall have a sign that measures a *minimum* of 18 x 24 inches and a *maximum* of 24 x 36 inches and will be installed at the south end of the boardwalk or walkover, facing southward.

Beachside address identification signs must comply with the following specifications:

1. All new and existing buildings (excluding single family residential) without dune walkovers or boardwalks, or with dune walkovers or boardwalks less than 100 feet in length, one 18 x 24 inch to 24 x 36 inch sign when 3 inch high letters and the background shall be white. Signs shall be properly mounted and shall be placed north of the Construction Control Line (CCL) established by the Alabama Department of Environmental Management. The sign shall be no less or greater than 4 feet above grade
2. Signs shall be attached to posts with 2 inch minimum stainless steel screws or bolts, as applicable
3. The sign must include the name of the establishment *and* street address
4. The sign shall be maintained in good condition at all times



(Sign Example)

City of Orange Beach Fire Marshal

(251) 981-6616