



Beachside Address Identification

New and existing buildings (excluding single family dwellings) located on the south side of State Highway 182 (Perdido Beach BLVD), with frontage on the Gulf of Mexico, shall comply with the following requirements for identification signs:

1. All new and existing buildings (excluding single family residential) with dune walkovers or boardwalks in excess of one hundred (100) feet in length, a *minimum of eighteen (18) inch by twenty-four (24) inch and a maximum of twenty-four (24) by thirty-six (36) inch* sign shall be installed at the south end of the boardwalk or walkover and shall face southward. Such sign shall comply with the specifications in paragraph 2, below.
2. All new and existing buildings (excluding single family residential) without dune walkovers or boardwalks, or with dune walkovers or boardwalks less than one hundred (100) feet in length, one (1) eighteen (18) inch by twenty-four (24) inch to twenty-four (24) inch by thirty-six (36) inch sign with (3) inch high letters and the background shall be white. Signs shall be properly mounted and shall be placed north of the Construction Control Line (CCL) established by the Alabama Department of Environmental Management. The sign shall be no less or greater than four (4) feet above grade.
3. Signs shall be attached to posts with two (2) inch minimum stainless steel screws or bolts as applicable.
4. Content of sign: *Name of establishment and its street address.*
5. The sign shall be maintained in good condition at all times.

W. Nelson Bauer
Deputy Fire Marshal
Orange Beach Fire Department
(251)981-6166
nbauer@orangebeachal.gov